Author index

Abrams M.D. (*see* Kubiske M.E.), 1123.
Ahmed F.E., Hall A.E. & Madore M.A. Interactive effects of high temperature and elevated carbon dioxide concentration on cowpea [*Vigna unguiculata* (L.) Walp.], 835.
Al-Khatib K. (*see* Ferguson D.L.), 421.
Algarra P. & Rüdiger W. Acclimation processes in the light harvesting complex of the red alga *Porphyridium purpureum* (Bory) Drew et Ross, according to irradiance and nutrient availability, 149.
Ameglio T. (*see* Tyree M.T.), 879.
Anfodillo T., Sigalotti G.B., Tomasi M., Semenzato P. & Valentini R. Applications of a thermal imaging technique in the study of the ascent of sap in woody species: technical report, 997.
Aphalo P.J. & Jarvis P.G. The boundary layer and the apparent responses of stomatal conductance to wind speed and to the mole fractions of CO_2 and water vapour in the air, 771.
Araus J.L., Brown H.R., Febrero A., Bort J. & Serret M.D. Ear photosynthesis, carbon isotope discrimination and the contribution of respiratory CO_2 to differences in grain mass in durum wheat, 383.
Arteca R.N. (*see* Nagi Reddy G.), 819.
Atkin O.K., Cummins W.R. & Collier D.E. Light induction of alternative pathway capacity in leaf slices of Belgium endive, 229.
Auen L.M. (*see* Owensby C.E.), 843.
Augé R.M. (*see* Voglien D.L.), 959.
Ayling S.M. The effect of ammonium ions on membrane potential and anion flux in roots of barley and tomato, 297.

Badiani M. (*see* Miglietta F.), 909.
Bagshaw S.L. & Cleland R.E. Is wall-bound calcium redistributed during the gravireaction of stems and coleoptiles? 1081.
Bagshaw S.L. & Cleland R.E. The effects of enhanced levels of calcium on the gravireaction of sunflower hypocotyls, 1091.
Baker N.R. (*see* Nie G.-Y.), 643.
Baker N.R. (*see* Robertson E.J.), 809.
Barton C.V.M., Lee H.S.J. & Jarvis P.G. A branch bag and CO_2 control system for long-term CO_2 enrichment of mature Sitka spruce [*Picea sitchensis* (Bong.) Carr.]: technical report, 1139.
Berry J.A (*see* Mott K.A.), 25.
Bettarini I. (*see* Miglietta F.), 873.
Black C.C. Sink strength: Is it real, or measurable? 1037.
Blom C.W.P.M. (*see* Brailsford R.W.), 1071.
Bloom A.J. (*see* Smart D.R.), 259.
Bloom A.J., Jackson L.E. & Smart D.R. Root growth as a function of ammonium and nitrate in the root zone, 199.
Bohnert H.J. (*see* Vernon D.M.), 437.
Boon J.J. (*see* Niemann G.J.), 1059.
Bort J. (*see* Araus J.L.), 383.
Bottomley P.A., Rogers H.H. & Prior S.A. NMR imaging of root water distribution in intact *Vicia faba* L. plants in elevated atmospheric CO_2: short communication, 335.
Boyer J.S. Temperature and growth-induced water potential, 1099.
Brailsford R.W., Voesenek L.A.C., Blom C.W.P.M., Smith A.R., Hall M.A. & Jackson M.B. Enhanced ethylene production by primary roots of *Zea mays* L. in response to sub-ambient partial pressures of oxygen, 1071.
Braune W. (*see* Hagen C.), 991.
Breckle S.-W. (*see* Reimann C.), 323.
Britz S.J. & Cavins J.F. Spectral quality during pod development modulates soybean seed fatty acid desaturation, 719.
Brown A. (*see* Johnsson A.), 749.
Brown H.N. (*see* Wang Y.), 579.
Brown H.R. (*see* Araus J.L.), 383.
Brown J.K.M. (*see* Thompson G.B.), 687.
Brunel J.-P. (*see* Thorburn P.J.), 269.
Bunce J.A. Effects of doubled atmospheric carbon dioxide concentration on the responses of assimilation and conductance to humidity, 189.
Byskov-Nielsen S. (*see* Schjoerring J.K.), 161.
Byskov-Nielsen S. (*see* Schjoerring J.K.), 169.

Camm E.L., McCallum J., Leaf E. & Koupai-Abyazani M.R. Cold-induced purpling of *Pinus contorta* seedlings depends on previous daylength treatment: short communication, 761.
Cardemil L. (*see* Medina C.), 305.
Cardon Z.G. (*see* Mott K.A.), 25.
Carter D.R. & Cheeseman J.M. The effects of external NaCl on thylakoid stacking in lettuce plants, 215.
Carter J.V. (*see* Chu B.), 883.
Casal J.J. & Kendrick R.E. Impaired phytochrome-mediated shade-avoidance responses in the *aurea* mutant of tomato, 703.
Castonguay Y., Nadeau P. & Simard R.R. Effects of flooding on carbohydrate and ABA levels in roots and shoots of alfalfa, 695.
Cavelier J. (*see* Meinzer F.C.), 429.
Cavins J.F. (*see* Britz S.J.), 719.
Cechin I. & Press M.C. Nitrogen relations of the sorghum-*Striga hermonthica* host-parasite association: growth and photosynthesis, 237.
Chahal S.S. (*see* Nagarajan S.), 87.
Chakrabarti S. (*see* Polle A.), 311.
Chamont S. Sink strength: The key for plant yield modelling, 1033.
Chapman D.K. (*see* Johnsson A.), 749.
Cheeseman J.M. (*see* Carter D.R.), 215.
Cheeseman J.M. Plant growth modelling without integrating mechanisms: model, 137.
Choisnel E. (*see* Dupouey J.-L.), 939.
Chu B., Kerr G.P. & Carter J.V. Stabilizing microtubules with taxol increases microfilament stability during freezing of rye root tips: short communication, 883.
Chu C. (*see* Lee T.-M.), 481.
Cleland R.E. (*see* Bagshaw S.L.), 1081.
Cleland R.E. (*see* Bagshaw S.L.), 1091.
Close T.J. (*see* Munns R.), 867.
Cochard H. (*see* Tyree M.T.), 879.
Cockburn W. (*see* Slocombe S.P.), 403.
Cohen D. (*see* Sachs T.), 765.
Collier D.E. (*see* Atkin O.K.), 229.
Cosgrove D.J. (*see* Spalding E.P.), 445.
Coupe S.A. (*see* Webb S.T.J.), 329.
Coyne P.I. (*see* Owensby C.E.), 843.
Crowley D.E.(*see* Wang Y.), 579.
Croxdale J. (*see* McCain D.C.), 727.
Cruiziat P. (*see* Tyree M.T.), 879.
Cummins W.R. (*see* Atkin O.K.), 229.

Daft M.J. (*see* Handley L.L.), 375.
Dai Y.-R. (*see* Nagi Reddy G.), 819.
Davies W.J. (*see* Gowing D.J.G.), 453.
Davies W.J. (*see* Tardieu F.), 341.
Day T.A., Martin G. & Vogelmann T.C. Penetration of UV-B radiation in foliage: evidence that the epidermis behaves as a non-uniform filter, 735.
Delgado E. (*see* Lawlor D.W.), 603.

Delwiche C.F. & Sharkey T.D. Rapid appearance of ^{13}C in biogenic isoprene when $^{13}CO_2$ is fed to intact leaves, 587.
Derkx M.P.M. & Karssen C.M. Changing sensitivity to light and nitrate but not to gibberellins regulates seasonal dormancy patterns in *Sisymbrium officinale* seeds, 469.
Dietz K.-J. (*see* Mimura T.), 653.
Doehlert D.C. Sink strength: Dynamic with source strength, 1027.
Doong R.L., Ganson R.J. & Jensen R.A. Plastid-localized 3-deoxy-*D-arabino*-heptulosonate 7-phosphate synthase (DS-Mn): the early-pathway target of sequential feedback inhibition in higher plants, 393.
Driscoll S.P. (*see* Lawlor D.W.), 603.
Driscoll S.P. (*see* Mitchell R.A.C.), 521.
Due G. Interpretation of the electric potential on the surface of plant roots, 501.
Dufrêne E., Pontailler J.-Y. & Saugier B. A branch bag technique for simultaneous CO_2-enrichment and assimilation measurements on beech (*Fagus sylvatica* L.), 1131.
Dupouey J.-L., Leavitt S., Choisnel E. & Jourdain S. Modelling carbon isotope fractionation in tree rings based on effective evapotranspiration and soil water status, 939.
Dye P.J. & Olbrich B.W. Estimating transpiration from 6-year-old *Eucalyptus grandis* trees: development of a canopy conductance model and comparison with independent sap flux measurements, 45.

Ehleringer J.R. (*see* Flanagan L.B.), 623.
Eijkel G.B. (*see* Niemann G.J.), 1059.
Enevoldsen J.O. (*see* Madsen T.V.), 317.

Farrar J.F. Sink strength: What is it and how do we measure it? Introduction, 1015.
Farrar J.F. Sink strength: What is it and how do we measure it? A summary, 1045.
Faye M. (*see* Yani A.), 975.
Febrero A. (*see* Araus J.L.), 383.
Ferguson D.L., Al-Khatib K., Guikema J.A. & Paulsen G.M. Degradation of proteins from thylakoid membranes in senescing wheat leaves at high temperature, 421.
Ferrarese L. (*see* Webb S.T.J.), 329.
Figueiredo-Ribeiro R.C.L. (*see* Vieira C.C.J.), 919.
Flanagan L.B., Marshall J.D. & Ehleringer J.R. Photosynthetic gas exchange and the stable isotope composition of leaf water: comparison of a xylem-tapping mistletoe and its host, 623.
Flores H.E. (*see* Nagi Reddy G.), 819.
Fork D.C. (*see* Smith H.), 929.
Frachisse-Stoilsković J.M. & Julien J.L. The coupling between extra- and intracellular electric potentials in *Bidens pilosa* L., 633.
Franklin J. (*see* Lawlor D.W.), 603.
Franklin J. (*see* Mitchell R.A.C.), 521.

Galen C. (*see* Stanton M.L.), 983.
Gambhir P.N. (*see* Nagarajan S.), 87.
Ganson R.J. (*see* Doong R.L.), 393.
Geiger D.R. & Shieh W.-J. Sink strength: Learning to measure, measuring to learn, 1017.
Gersani M., Graham E.A. & Nobel P.S. Growth responses of individual roots of *Opuntia ficus-indica* to salinity, 827.
Gillenberg C. (*see* Schnyder H.), 179.
Gleizes M. (*see* Yani A.), 975.
Goldstein G. (*see* Meinzer F.C.), 429.
Gowing D.J.G. (*see* Tardieu F.), 413.
Gowing D.J.G., Jones H.G. & Davies W.J. Xylem-transported abscisic acid: the relative importance of its mass and its concentration in the control of stomatal aperture, 453.
Graham E.A. (*see* Gersani M.), 827.
Guikema J.A. (*see* Ferguson D.L.), 421.
Gunderson C.A., Norby R.J. & Wullschleger S.D. Foliar gas exchange responses of two deciduous hardwoods during 3 years of growth in elevated CO_2: no loss of photosynthetic enhancement, 797.
Guy R.D. (*see* Weger H.G.), 711.

Häder D.-P. (*see* Hagen C.), 991.
Hagen C., Braune W., Vogel K. & Häder D.-P. Functional aspects of secondary carotenoids in *Haematococcus lacustris* (Girod) Rostafinki (Volvocales). V. Influences on photomovement, 991.
Hall A.E. (*see* Ahmed F.E.), 835.
Hall M.A. (*see* Brailsford R.W.), 1071.
Ham J.M. (*see* Senock R.S.), 593.
Handley L.L., Daft M.J., Wilson J., Scrimgeour C.M., Ingleby K. & Sattar M.A. Effects of the ecto- and VA-mycorrhizal fungi *Hydnagium carneum* and *Glomus clarum* on the $\delta^{15}N$ and $\delta^{13}C$ values of *Eucalyptus globulus* and *Ricinus communis*, 375.
Havaux M. Rapid photosynthetic adaptation to heat stress triggered in potato leaves by moderately elevated temperatures, 461.
Hawker J.S. (*see* Jenner C.F.), 1023.
Heathcote D.G. (*see* Johnsson A.), 749.
Hendrix D. (*see* Vogelien D.L.), 959.
Hickok L.G. (*see* Vogelien D.L.), 959.
Hinz J. (*see* Schnyder H.), 179.
Holbrook N.M. (*see* Meinzer F.C.), 429.
Horton P. (*see* Johnson G.N.), 673.
Horton P. (*see* Johnson G.N.), 681.
Huner N.P.A. (*see* Lapointe L.), 249.

Ingleby K. (*see* Handley L.L.), 375.

Jackson L.E. (*see* Bloom A.J.), 199.
Jackson M.B. (*see* Brailsford R.W.), 1071.
Jackson P. (*see* Meinzer F.C.), 429.
Jacob J. & Lawlor D.W. *In vivo* photosynthetic electron transport does not limit photosynthetic capacity in phosphate- deficient sunflower and maize leaves, 785.
James R.A. (*see* Munns R.), 867.
Janett H.-P. (*see* Medina E.), 55.
Jarvis P.G. (*see* Aphalo P.J.), 771.
Jarvis P.G. (*see* Barton C.V.M.), 1139.
Jarvis P.G. (*see* Radoglou K.M.), 93.
Jenner C.F. & Hawker J.S. Sink strength: Soluble starch synthase as a measure of sink strength in wheat endosperm, 1023.
Jensen R.A. (*see* Doong R.L.), 393.
Johnson G.N., Scholes J.D., Horton P. & Young A.J. Relationships between carotenoid composition and growth habit in British plant species, 681.
Johnson G.N., Young A.J., Scholes J.D. & Horton P. The dissipation of excess excitation energy in British plant species, 673.
Johnson-Glebe C. (*see* Johnsson A.), 749.
Johnsson A., Chapman D.K., Brown A., Johnson-Glebe C., Karlsson C. & Heathcote D.G. Gravity sensing in oat coleoptiles: scatter in growth orientation under different *g*-conditions, 749.
Jones H.G. (*see* Gowing D.J.G.), 453.
Jørgensen T.B. (*see* Madsen T.V.), 317.
Jourdain S. (*see* Dupouey J.-L.), 939.
Julien J.L. (*see* Frachisse-Stoilskovic J.M.), 633.

Kaiser W.M. (*see* Mimura T.), 653.
Karim M.A., Nawata E. & Shigenaga S. Influence of flooding with diluted sea water on morphological and physiological characteristics in hexaploid triticale, 663.
Karlsson C. (*see* Johnsson A.), 749.

Karssen C.M. (*see* Derkx M.P.M.), 469.
Kendrick R.E. (*see* Casal J.J.), 703.
Kerr G.P. (*see* Chu B.), 883.
Konings H. (*see* Niemann G.J.), 1059.
Koupai-Abyazani M.R. (*see* Camm E.L.), 761.
Kubiske M.E. & Abrams M.D. Stomatal and nonstomatal limitations of photosynthesis in 19 temperate tree species on contrasting sites during wet and dry years, 1123.
Kuiper D. Sink strength: Established and regulated by plant growth regulators, 1025.
Kyllingsbaek A. (*see* Schjoerring J.K.), 161.
Kyllingsbaek A. (*see* Schjoerring J. K.), 169.

Lapointe L. & Huner N.P.A. Photoinhibition of isolated mesophyll cells from cold-hardened and non-hardened winter rye, 249.
Laurie S. & Stewart G.R. Effects of nitrogen supply and high temperature on the growth and physiology of the chickpea, 609.
Lawlor D.W. (*see* Jacob J.), 785.
Lawlor D.W. (*see* Mitchell R.A.C.), 521.
Lawlor D.W., Mitchell R.A.C., Franklin J., Mitchell V.J., Driscoll S.P. & Delgado E. Facility for studying the effects of elevated carbon dioxide concentration and increased temperature on crops: technical report, 603.
Leaf E. (*see* Camm E.L.), 761.
Leavitt S. (*see* Dupouey J.-L.), 939.
Lee H.S.J. (*see* Barton C.V.M.), 1139.
Lee T.-M., Lur H.-S. & Chu C. Role of abscisic acid in chilling tolerance of rice (*Oryza sativa* L.) seedlings. I. Endogenous abscisic acid levels, 481.
Leech R.M. (*see* Robertson E.J.), 809.
Lo Gullo M.A. & Salleo S. Different vulnerabilities of *Quercus ilex* L. to freeze- and summer drought-induced xylem embolism: an ecological interpretation, 511.
Loos K. (*see* Paul M.J.), 531.
Loreto F. & Sharkey T.D. Isoprene emission by plants is affected by transmissible wound signals, 563.
Lu Z., Quiñones M.A. & Zeiger E. Abaxial and adaxial stomata from Pima cotton (*Gossypium barbadense* L.) differ in their pigment content and sensitivity to light quality, 851.
Lur H.-S. (*see* Lee T.-M.), 481.
Lüttge U. (*see* Medina E.), 55.

McCain D.C., Croxdale J. & Markley J.L. The spatial distribution of chloroplast water in *Acer platanoides* sun and shade leaves, 727.
McCallum J. (*see* Camm E.L.), 761.
McCoy A. (*see* Ziska L.H.), 73.
McDonald A.J.S. (*see* Pettersson R.), 1115.
McMichael B.L. (*see* Trolinder N.L.), 755.
McMurtie R.E. & Wang Y.-P. Mathematical models of the photosynthetic response of tree stands to rising CO_2 concentrations and temperatures: commissioned review, 1.
McNally J.G. (*see* Pont-Lezica R.F.), 111.
Madore M.A. (*see* Ahmed F.E.), 835.
Madsen T.V., Enevoldsen H.O. & Jørgensen T.B. Effects of water velocity on photosynthesis and dark respiration in submerged stream macrophytes, 317.
Maier I. Gamete orientation and induction of gametogenesis by pheromones in algae and plants: commissioned review, 891.
Maimon E. (*see* Moore R.), 105.
Markley J.L. (*see* McCain D.C.), 727.
Marshall J.D. (*see* Flanagan L.B.), 623.
Martin G. (*see* Day T.A.), 735.
Martin G. (*see* Vogelmann T.C.), 65.
Mawson B.T. Modulation of photosynthesis and respiration in guard and mesophyll cell protoplasts by oxygen concentration, 207.
Medina C. & Cardemil L. *Prosopis chilensis* is a plant highly tolerant to heat shock, 305.
Medina E., Popp M., Olivares E., Janett H.-P. & Lüttge U. Daily fluctuations of titratable acidity, content of organic acids (malate and citrate) and soluble sugars of varieties and wild relatives of *Ananas comosus* L. growing under natural tropical conditions, 55.
Medrano H. (*see* Socias F.X.), 81.
Meinzer F.C., Goldstein G., Holbrook N.M., Jackson P. & Cavelier J. Stomatal and environmental control of transpiration in a lowland tropical forest tree, 429.
Miglietta F., Raschi A., Bettarini I., Resti R. & Selvi F. Natural CO_2 springs in Italy: a resource for examining long- term response of vegetation to rising atmospheric CO_2 concentrations, 873.
Miglietta F., Raschi A., Resti R. & Badiani M. Growth and ontomorphogenesis of soybean (*Glycine max* Merril) in an open, naturally CO_2-enriched environment, 909.
Milborrow B.V. (*see* Munns R.), 867.
Miller I. (*see* Moore R.), 1003.
Miller I. (*see* Shi L.), 967.
Mimura T., Müller R., Kaiser W.M., Shimmen T. & Dietz K.-J. ATP-dependent carbon transport in perfused *Chara* cells, 653.
Minchin P.E.H. & Thorpe M.R. Sink strength: a misnomer, and best forgotten, 1039.
Mitchell R.A.C. (*see* Lawlor D.W.), 603.
Mitchell R.A.C., Mitchell V.J., Driscoll S.P., Franklin J. & Lawlor D.W. Effects of increased CO_2 concentration and temperature on growth and yield of winter wheat at two levels of nitrogen application, 521.
Mitchell V.J. (*see* Lawlor D.W.), 603.
Mitchell V.J. (*see* Mitchell R.A.C.), 521.
Moore R. & Maimon E. Signal transmission during gravitropic curvature of primary roots of *Zea mays*, 105.
Moore R. & Miller I. Cellular differentiation in root caps of *Zea mays* that do not secrete mucilage. short communication, 1003.
Moore R. (*see* Shi L.), 967.
Mortensen J.V. (*see* Schjoerring J.K.), 161.
Mortensen J.V. (*see* Schjoerring J.K.), 169.
Mott K.A., Cardon Z.G. & Berry J.A Asymmetric patchy stomatal closure for the two surfaces of *Xanthium strumarium* L. leaves at low humidity, 25.
Müller R. (*see* Mimura T.), 653.
Munns R. Physiological processes limiting plant growth in saline soils: some dogmas and hypotheses, 15.
Munns R., Passioura J.B., Milborrow B.V., James R.A. & Close T.J. Stored xylem sap from wheat and barley in drying soil contains a transpiration inhibitor with a large molecular size, 867.

Nadeau P. (*see* Castonguay Y.), 695.
Nagarajan S., Chahal S.S., Gambhir P.N. & Tiwari P.N. Relationship between leaf water spin-lattice relaxation time and water relation parameters in three wheat cultivars, 87.
Nagi Reddy G., Arteca R.N., Dai Y.-R., Flores H.E., Negm F.B. & Pell E.J. Changes in ethylene and polyamines in relation to mRNA levels of the large and small subunits of ribulose bisphosphate carboxylase/oxygenase in ozone-stressed potato foliage, 819.
Nawata E. (*see* Karim M.A.), 663.
Negm F.B. (*see* Nagi Reddy G.), 819.
Neumann P.M. Rapid and reversible modifications of extension capacity of cell walls in elongating maize leaf tissues responding to root addition and removal of NaCl, 1107.
Newman J.R. & Raven J.A. Carbonic anhydrase in *Ranunculus penicillatus* spp. *pseudofluitans*: activity, location and implications for carbon assimilation, 491.

Nie G.-Y., Tomasevic M. & Baker N.R. Effects of ozone on the photosynthetic apparatus and leaf proteins during leaf development in wheat, 643.
Niemann G.J., Eijkel G.B., Konings H., Purveen J.B.M. & Boon J.J. Chemical differences between wildtype and gibberellin mutants of tomato determined by pyrolysis-mass spectrometry, 1059.
Nobel P.S. (*see* Gersani M.), 827.
Norby R.J. (*see* Gunderson C.A.), 797.
Novoplansky A. (*see* Sachs T.), 765.

Olbrich B.W. (*see* Dye P.J.), 45.
Olivares E. (*see* Medina E.), 55.
Ostrem J.A. (*see* Vernon D.M.), 437.
Owensby C.E., Coyne P.I. & Auen L.M. Nitrogen and phosphorus dynamics of a tallgrass prairie ecosystem exposed to elevated carbon dioxide, 843.

Parsons R., Stanforth A., Raven J.A. & Sprent J.I. Nodule growth and activity ay be regulated by a feedback mechanism involving phloem nitrogen: opinion, 125.
Passioura J.B. (*see* Munns R.), 867.
Pate J.S. (*see* Stewart G.R.), 351.
Pate J.S., Stewart G.R. & Unkovich M. ^{15}N natural abundance of plant and soil components of a *Banksia* woodland ecosystem in relation to nitrate utilization, life form, mycorrhizal status and N_2-fixing abilities of component species, 365.
Patrick J.W. Sink strength: Whole plant considerations, 1019.
Paul M.J. & Stitt M. Effects of nitrogen and phosphorus deficiencies on levels of carbohydrates, repiratory enzymes and metabolites in seedlings of tobacco and their response to exogenous sucrose, 1047.
Paul M.J., Loos K., Stitt M. & Ziegler P. Starch-degrading enzymes during the induction of CAM in *Mesembryanthemum crystallinum*, 531.
Paulsen G.M. (*see* Ferguson D.L.), 421.
Pauly G. (*see* Yani A.), 975.
Pearcy R.W. (*see* Roden J.S.), 571.
Pell E.J. (*see* Nagi Reddy G.), 819.
Petrie R.A. (*see* Reid J.B.), 949.
Pettersson R., McDonald A.J.S. & Stadenberg I. Response of small birch plants (*Betula pendula* Roth.) to elevated CO_2 and nitrogen supply, 1115.
Pfirrmann T. (*see* Polle A.), 311.
Pickard B.G. (*see* Pont-Lezica R.F.), 111.
Plachy C. (*see* Schopfer P.), 223.
Pockman W.T. (*see* Sperry J.S.), 279.
Polle A., Pfirrmann T., Chakrabarti S. & Rennenberg H. The effects of enhanced ozone and enhanced carbon dioxide concentrations on biomass, pigments and antioxidative enzymes in spruce needles (*Picea abies* L.), 311.
Pollock C.J. (*see* Turner L.B.), 289.
Pont-Lezica R.F., McNally J.G. & Pickard B.G. Wall-to-membrane linkers in onion epidermis: some hypotheses: opinion, 111.
Pontailler J.-Y. (*see* Dufrêne E.), 1131.
Popp M. (*see* Medina E.), 55.
Press M.C. (*see* Cechin I.), 237.
Prior S.A. (*see* Bottomley P.A.), 335.
Purveen J.B.M. (*see* Niemann G.J.), 1059.

Quiñones M.A. (*see* Lu Z.), 851.

Radoglou K.M. & Jarvis P.G. Effects of atmospheric CO_2 enrichment on early growth of *Vivia faba*, a plant with large cotyledons, 93.
Rambal S. The differential role of mechanisms for drought resistance in a Mediterranean evergreen shrub: a simulation approach, 35.
Raschi A. (*see* Miglietta F.), 873.
Raschi A. (*see* Miglietta F.), 909.
Raven J.A. (*see* Newman J.R.), 491.
Raven J.A. (*see* Parsons R.), 125.
Reid C.D. (*see* Thomas R.B.), 539.
Reid J.B., Sorensen I, & Petrie R.A. Root demography in kiwifriut (*Actinidia deliciosa*), 949.
Reid R.J., Tester M. & Smith F.A. Effects of salinity and turgor on calcium influx in *Chara*, 547.
Reimann C. & Breckle S.-W. Sodium relations in Chenopodiaceae: a comparative approach, 323.
Rennenberg H. (*see* Polle A.), 311.
Resti R. (*see* Miglietta F.), 873.
Resti R. (*see* Miglietta F.), 909.
Roberts J.A. (*see* Webb S.T.J.), 329.
Robertson E.J., Baker N.R. & Leech R.M. Chloroplast thylakoid protein changes induced by low growth temperature in maize revealed by immunocytology, 809.
Roden J.S. & Pearcy R.W. The effect of flutter on the temperature of poplar leaves and its implications for carbon gain, 571.
Rogers H.H. (*see* Bottomley P.A.), 335.
Rüdiger W. (*see* Algarra P.), 149.

Sachs T., Novoplansky A. & Cohen D. Plants as competing populations of redundant organs: opinion, 765.
Salin F. (*see* Yani A.), 975.
Salleo S. (*see* Lo Gullo M.A.), 511.
Samson G. (*see* Smith H.), 929.
Sattar M.A. (*see* Handley L.L.), 375.
Saugier B. (*see* Dufrêne E.), 1131.
Schjoerring J.K., Kyllingsbaek A., Mortensen J.V. & Byskov-Nielsen S. Field investigations of ammonia exchange between barley plants and the atmosphere. I. Concentration profiles and flux densities of ammonia, 161.
Schjoerring J.K., Kyllingsbaek A., Mortensen J.V. & Byskov-Nielsen S. Field investigations of ammonia exchange between barley plants and the atmosphere. II. Nitrogen reallocation, free ammonium content and activities of ammonium assimilating enzymes in different leaves, 169.
Schnyder H., Gillenberg C. & Hinz J. Fructan contents and dry matter deposition in different tissues of the wheat grain during development, 179.
Scholes J.D. (*see* Johnson G.N.), 673.
Scholes J.D. (*see* Johnson G.N.), 681.
Schönherr J. (*see* Schreiber L.), 743.
Schopfer P. & Plachy C. Photoinhibition of radish (*Raphanus sativus* L.) seed germination: control of growth potential by cell-wall yielding in the embryo, 223.
Schreiber L. & Schönherr J. Determination of foliar uptake of chemicals: influence of leaf surface microflora, 743.
Schulz A. Sink strength: The importance of the distance between phloem and receiver cells, 1031.
Scott T.K. (*see* Takahashi H.), 99.
Scrimgeour C.M. (*see* Handley L.L.), 375.
Selvi F. (*see* Miglietta F.), 873.
Semenzato P. (*see* Anfodillo T.), 997.
Senock R.S. & Ham J.M. Heat balance sap flow guage for small diameter stems: technical report, 593.
Serret M. (*see* Araus J.L.), 383.
Sharkey T.D. (*see* Delwiche C.F.), 587.
Sharkey T.D. (*see* Loreto F.), 563.
Sharkey T.D. (*see* Socias F.X.), 81.
Shi L., Miller I. & Moore R. Immunocytochemical localization of

indole-3-acetic acid in primary roots of *Zea mays*, 967.
Shieh W.-J. (*see* Geiger D.R.), 1017.
Shigenaga S. (*see* Karim M.A.), 663.
Shimmen T. (*see* Mimura T.), 653.
Sigalotti G.B. (*see* Anfodillo T.), 997.
Silim S.N. (*see* Weger H.G.), 711.
Simard R.R. (*see* Castonguay Y.), 695.
Simmons S.R. (*see* Skinner R.H.), 555.
Sinclair B. (*see* Tyree M.T.), 879.
Skinner R.H. & Simmons S.R. Modulation of leaf elongation, tiller appearance and tiller senescence in spring barley by far-red light, 555.
Slocombe S.P., Whitelam G.C. & Cockburn W. Investigation of phospho*enol*pyruvate carboxylase (PEPCase) in *Mesembryanthemum crystallinum* L. in C_3 and CAM photosynthetic states, 403.
Smart D.R. & Bloom A.J. Relationships between the kinetics of NH_4^+ and NO_3^- absorption and growth in the cultivated tomato (*Lycopersicon esculentum* Mill. cv T-5), 259.
Smart D.R. (*see* Bloom A.J.), 199.
Smith A.R. (*see* Brailsford R.W.), 1071.
Smith F.A. (*see* Reid R.J.), 547.
Smith H., Samson G. & Fork D.C. Photosynthetic acclimation to shade: probing the role of phytochromes using photomorphogenic mutants of tomato, 929.
Socias F.X., Medrano H. & Sharkey T.D. Feedback limitation of photosynthesis of *Phaseolus vulgaris* L. grown in elevated CO_2, 81.
Sorensen I. (*see* Reid J.B.), 949.
Spalding E.P. & Cosgrove D.J. Influence of electrolytes on growth, phototropism, nutation and surface potential in etiolated cucumber seedlings, 445.
Sperry J.S. & Pockman W.T. Limitation of transpiration by hydraulic conductance and xylem cavitation in *Betula occidentalis*, 279.
Sprent J.I. (*see* Parsons R.), 125.
Stadenberg I. (*see* Pettersson R.), 1115.
Stanforth A. (*see* Parsons R.), 125.
Stanton M.L. & Galen C. Blue light controls solar tracking by flowers of an alpine plant, 983.
Stewart G.R. (*see* Laurie S.), 609.
Stewart G.R. (*see* Pate J.S.), 365.
Stewart G.R., Pate J.S. & Unkovich M. Characteristics of inorganic nitrogen assimilation of plants in fire-prone Mediterranean-type vegetation, 351.
Stitt M. Sink strength: integrated systems need integrating approaches, 1041.
Stitt M. (*see* Paul M.J.), 1047.
Stitt M. (*see* Paul M.J.), 531.
Stodola A.J.W. (*see* Vogelien D.L.), 959.
Strain B.R. (*see* Thomas R.B.), 539.
Strain B.R. (*see* Tissue D.T.), 859.
Sullivan J.H. (*see* Ziska L.H.), 73.
Szaniszlo P.J. (*see* Wang Y.), 579.

Takahashi H. & Scott T.K. Intensity of hydrostimulation for the induction of root hydrotropism and its sensing by the root cap, 99.
Tardieu F. & Davies W.J. Integration of hydraulic and chemical signalling in the control of stomatal conductance and water status of droughted plants: opinion, 341.
Tardieu F., Zhang J. & Gowing D.J.G. Stomatal control by both [ABA] in the xylem sap and leaf water status: a test of a model for droughted or ABA-fed field-grown maize, 413.
Taylor J.E. (*see* Webb S.T.J.), 329.
Teramura A.H. (*see* Ziska L.H.), 73.
Tester M. (*see* Reid R.J.), 547.
Thomas R.B. (*see* Tissue D.T.), 859.
Thomas R.B., Reid C.D., Ybema R. & Strain B.R. Growth and maintenance components of leaf respiration of cotton grown in elevated carbon dioxide partial pressure, 539.
Thompson G.B., Brown J.K.M. & Woodward F.I. The effects of host carbon dioxide, nitrogen and water supply on the infection of wheat by powdery mildew and aphids, 687.
Thorburn P.J., Walker G.R. & Brunel J.-P. Extraction of water from *Eucalyptus* trees for analysis of deuterium and oxygen-18: laboratory and field techniques, 269.
Thornley J.H.M. Sink strength: An attractive but often misleading concept, 1035.
Thorpe M.R. (*see* Minchin P.E.H.), 1039.
Tissue D.T., Thomas R.B. & Strain B.R. Long-term effects of elevated CO_2 and nutrients on photosynthesis and rubisco in loblolly pine seedlings, 859.
Tiwari P.N. (*see* Nagarajan S.), 87.
Tomasevic M. (*see* Nie G.-Y.), 643.
Tomasi M. (*see* Anfodillo T.), 997.
Trolinder N.L., McMichael B.L. & Upchurch D.R. Water relations of cotton flower petals and fruit, 755.
Turner L.B. & Pollock C.J. The effects of temperature and pH on the apparent Michaelis constant of glutathione reductase from maize (*Zea mays* L.), 289.
Tyree M.T., Cochard H., Cruiziat P., Sinclair B. & Ameglio T. Drought-induced leaf shedding in walnut: evidence for vulnerability segmentation, 879.

Unkovich M. (*see* Pate J.S.), 365.
Unkovich M. (*see* Stewart G.R.), 351.
Upchurch D.R. (*see* Trolinder N.L.), 755.

Valentini R. (*see* Anfodillo T.), 997.
Vernon D.M., Ostrem J.A. & Bohnert H.J. Stress perception and response in a facultative halophyte: the regulation of salinity-induced genes in *Mesembryanthemum crystallinum*, 437.
Vieira C.C.J. & Figueiredo-Ribeiro R.C.L. Fructose-containing carbohydrates in the tuberous root of *Gomphrena macrocephala* St.-Hil. (Amaranthaceae) at different phenological phases, 919.
Voesenek L.A.C. (*see* Brailsford R.W.), 1071.
Vogel K. (*see* Hagen C.), 991.
Vogelien D.L., Hickok L.G., Augé R.M., Stodola A.J.W. & Hendrix D. Solute analysis and water relations of gametophyte mutants tolerant to NaCl in the fern, *Ceratopteris richardii*, 959.
Vogelmann T.C. & Martin G. The functional significance of palisade tissue: penetration of directional versus diffuse light, 65.
Vogelmann T.C. (*see* Day T.A.), 735.

Walker G.R. (*see* Thorburn P.J.), 269.
Wang Y., Brown H.N., Crowley D.E. & Szaniszlo P.J. Evidence for direct utilization of a siderophore, ferrioxamine B, in axenically grown cucumber, 579.
Wang Y.-P. (*see* McMurtie R.E.), 1.
Wardlaw I.F. Sink strength: Its expression in the plant, 1029.
Webb S.T.J., Taylor J.E., Coupe S.A., Ferrarese L. & Roberts J.A. Purification of β1,4 glucanase from ethylene-treated leaflet abscission zones of *Sambucus nigra*, 329.
Weger H.G., Silim S.N. & Guy R.D. Photosynthetic acclimation to low temperature by western red cedar seedlings, 711.
Whitelam G.C. (*see* Slocombe S.P.), 403.
Wilson J. (*see* Handley L.L.), 375.
Wolswinkel P. Sink strength: A discussion concentrated on developing seeds, 1021.
Woodward F.I. (*see* Thompson G.B.), 687.
Wullschleger S.D. (*see* Gunderson C.A.), 797.

Yani A., Pauly G., Faye M., Salin F. & Gleizes M. The effect of a long-term water stress on the metabolism and emission of terpenes of the foilage of *Cupressus sempervirens*, 975.
Ybema R. (*see* Thomas R.B.), 539.
Young A.J. (*see* Johnson G.N.), 673.
Young A.J. (*see* Johnson G.N.), 681.
Zeiger E. (*see* Lu Z.), 851.
Zhang J. (*see* Tardieu F.), 413.
Ziegler P. (*see* Paul M.J.), 531.
Ziska L.H., Teramura A.H., Sullivan J.H. & McCoy A. Influence of ultraviolet-B (UV-B) radiation on photosynthetic and growth characteristics in field-grown cassava (*Manihot esculentum* Crantz), 73.

Subject index

ABA, 341.
ABA metabolism, 453.
Abies alba Miller, 997.
Abscisic acid, 481, 695:
  concentration, 413;
  flux, 413.
Abscission zone, 329.
Absorption, 259.
Acclimation, 797, 859.
Acer platanoides. 727.
Acer pseudoplatanus L., 997.
Acid-growth, 199.
Actinidia deliciosa, 949.
Action potential, 563.
Activity rhythm, 531.
Adaxial and abaxial stomata, 851.
Adenylates, 231, 785.
Aerenchyma, 1071.
Ageotropum, 99.
Agrostis canina L., 873.
Aizoaceae, 437.
Alfalfa, 695.
Allium cepa L., 111.
Allosteric control, 393.
Alpine ecology, 983.
Alternative pathway, 231.
Amaranthaceae, 919.
Amaranthus hypochondriacus, 189.
Amino acid transport, 351.
Ammonia exchange, 161, 169.
Ammonium, 169, 199, 259, 297.
Amphistomatous, 25.
Anacardium excelsum, 429.
Ananas, 55.
ANCA, 375.
Andropogon, 843.
Anion influx, 297.
Anthocyanin development, 761.
Antibody, 329.
Apoplast, 105:
  solute, 1099;
  tension, 1099.
Aquatic macrophytes, 317.
Aridlands, 623.
Asparagine, 609.
Atmosphere, 161.
Atmospheric CO_2, 189.
Aurea mutant (tomato), 703.
Axenic culture, 579.
Axillary leaves, 73.
Azeotropic distillation, 269.

Bangiales, 149.
Banksia woodland, 351, 365.
Barley, 297, 555, 867.
Beech, 939.
β1,4 glucanase, 329.
Betula occidentalis, 279.
Betula pendula, 1115.
Betulaceae, 279.
Bidens pilosa, 633.
Biomass growth, 909.
Birch, 279.
Black box, 269.
Blue light, 719:
  response, 983.
Blue versus red light, 851.
Blue-light sensitive photoreceptor, 991.
Boundary-layer, 571.
Branch bag, 1139.
Brassica napus, 207.
Brassicaceae, 223.
Broad bean, 207, 335.
Burch, 1115.

C_3 plants, 1.
^{45}Ca influx, 547.
Calcium effects, 1091.
Calcium redistribution, 1081.
CAM induction, 531.
Cambium, 765.
Canola (oil rapeseed), 207.
Canopy conductance, 45.
Carbohydrate, 695:
  accumulation, 539;
  content, 835.
Carbohydrates, 179.
Carbon, 237:
  assimilation, 249, 491.
  dioxide, 1, 843, 1071:
    enrichment, 539;
    (CO_2) effects, 335.
  gain, 571;
  isotope ratios, 237;
  partitioning, 827.
Carbonic anhydrase, 491.
Carotenoids, 681.
Catalase, 311.
Cell separation, 329.
Cell wall, 111, 735, 1059:
  extensibility, 1091;
  extension, 1107;
  walls, 755;
  water, 87.
Cell-cell interaction, 891.
Cell-wall loosening (seed germination), 223.
Centrifuge, 749.
Ceratopteris richardii, 959.
Chara, 653.
Chara corallina, 547
Chemotaxis, 891.
Chenopodiaceae, 323.
Chenopodium album, 673, 735.
Cherry, 453.
Chickpea, 609.
Chilling tolerance, 481.
Chlorophyll, 65, 681, 727:
  fluorescence, 461, 673, 785.
Chloroplast, 727, 809:
  development, 643.
Cicer arietinum L., 609.
Cichorum intybus, 231.
Citrate, 55.
Climate change, 1, 189, 521, 603.

Clonal plants, 765.
CO_2:
  assimilation, 643;
  enrichment, 521, 603, 687;
  mole fraction, 771;
  springs, 873, 909;
  × N, 521;
  × temperature, 603.
$^{13}CO_2$, 587.
Cold acclimation, 249.
Cold hardening, 711.
Coleoptile, 749.
Colloidal gold immunocytochemistry, 967.
Colonial organisms, 765.
Communication, 137.
Conduit diameter, 511.
Corn, 99, 967, 1003.
Cotton, 755.
Cowpea, 835.
Crassulacean acid metabolism (CAM), *55, 403.*
Creep extensiometer, 1107.
Cucumber, 579.
Cucumis sativus, 579, 445.
Cupressaceae, 711.
Cupressus sempervirens, 975.
Cytochrome pathway, 231.
Cytoskeleton, 883.

Dactylis glomerata, 189.
DAHP synthase, 393.
Deinduction, 403.
$\delta^{13}N$, 375, 939.
$\delta^{13}C$, 375.
Development, 909.
Dictyosomes, 1003.
Digitalis purpurea, 673.
Digitonin, 215.
Dormancy mechanism, 469.
Drought, 867, 879:
  resistance, 35;
  tolerance, 87, 1123.
Dry climate, 335.
Durum wheat, 383.
D/H ratios, 623.

Ear, 383.
Ectomycorrhizas, 375.
$^{18}O/^{16}O$ ratios, 623.
Elder, 329.
Electrical coupling, 633.
Electrical signal, 563.
Electrolytes and growth, 445.
Elevated atmosphere CO_2, 93
Elevated atmospheric carbon dioxide, 797.
Elevated CO_2, 81, 843, 873, 909, 1115, 1131, 1139:
  interaction with temperature, 835.
Embolism, 997.
Embryo, 179.
Emission, 975.
Endive, 231.
Endosperm, 179:
  cavity, 179.
Environmental control, 603.
Environmental effects on yield, 521.
Environmental stress, 563, 1071.
Enzyme compartmentation, 393.
Epiphytic fungi, 743.
Erysiphe graminis, 687.
Ethylene, 329, 819.
Eucalyptus camaldulensis, 269.
Eucalyptus gracilis, 269.
Eucalyptus grandis, 45.
Eucalyptus largiflorens, 269.
Eucalyptus oleosa, 269.
Eucalyptus viminalis Labill., 997.
Extracellular potential, 633.

Fabaceae, 835.
Fagaceae, *511, 939.*
Fagus sylvatica L., 939, 997.
Fatty acid metabolism, 719.
Feedback, 81.
Fern gametophyte, 959.
Ferrioxamine B, 579.
Fibre optic, 735.
Fibre optics, 65.
Fire chronosequence, 351, 365.
Flag leaf, 383.
Flavonoids, 735.
Flooding, 695, 1071:
  tolerance, 663.
Flow velocity, 317.
Flower heliotropism, 983.
Flower petal, 755.
Fluorescence, 249, 711, 727, 735:
  imaging, 25;
  quenching, 785.
Foliar uptake, 743.
Fraxinus excelsior L., 997.
Free amides, 169.
Freezing, 883.
Fructan, 179.
Fructans, 919.
Fruiting, 755.

Gas exchange, 771, 1123.
Germination potential (seeds), 223.
Gibberellin, 1059.
Glutamate synthase (GOGAT: glutamine:2-oxoglutarate aminotransferase), 169.
Glutamine synthetase (GS), 169.
Glutathione reductase, 289.
Glycine max L. Merr., *189, 593, 719, 1099.*
Gomphrena macrocephala St.-Hil., 919.
Gossypium, 755.
Gossypium barbadense L., 851.
Grain:
  anomalies, 997;
  filling, 383;
  (growth), 179.
Gramineae, 161, 169, 179, 421, 809.
Gravicurvature, 1091.
Gravireaction, 1081, 1091.
Gravitropic curvature, 1081.
Gravitropic response, 749.
Gravitropism, 99, 749:
  (root), 105.
Greenhouse effect, 939.
Growth, 15, 237, 259, 539, 609, 1099, 1115, 1139.
Guard cell:
  pigments, 851;
  protoplasts, 207.

Haematococcus lacustris, 991.
Heat:
balance, 593;
pulse velocity, 45;
shock, 305.
Hedera helix, 771.
Helianthus annuus, 189, 785, 1081, 1091.
Hexoses, 1047.
High temperature, *421*, *461*, *609*, *835*.
Holm-oak, 511.
Hordeum vulgare L., *161*, *169*, *297*, *555*, *867*.
Hormone sensitivity, 469.
Humidity, 25, 189, 429.
Hydraulic conductance, 279.
Hydraulic conductivity, 511.
Hydrosensing, 99.
Hydrostimulation, 99.
Hydrotropism, *99*.
Hypergravity, 749.
H^+ pump, *653*.

Ice plant, 437.
Immunocytology, 809.
Indole-3-acetic acid (IAA), 967.
Induction, *403*.
Infrared thermography, 997.
Initial growth, *93*.
Inorganic carbon transport, 653.
Instrument design, 593.
Integration, 137.
Internal C_2 concentration, 939.
Intracellular perfusion, 653.
Invertase, 1047.
Ion:
analyses, 959;
regulation, *323*.
uptake, 323.
Iron-nutrition, 579.
Iron-transport, 579.
Isoforms, 403.
Isoprene, *563*:
emission, 587.
Ivy, *771*.

Juglans regia, 879.

Kinetics, 259.
Kiwifruit, *949*.
Kudzu [*Pueraria lobata* (willd) Ohwi.], 563.
K/Na-selectivity, *323*.

Lactuca sativa L., 215.
Larix decidua Miller, 997.
Lateral roots, 827.
Leaf, *65*:
area index, 35;
conductance, *453*;
elongation, 555, 1107;
flutter, 571;
optics, 735;
shading, 879;
surface microflora, *743*;
temperature, 571;
water potential, *341*;
water status, 413.
Leaves, 231.
Legumes, 125.
Leguminosae, 719, 1099.
Lethal temperature, 305.
Lettuce, *215*.
Light, 231:
gradients, *65*;
quality, 555;
scattering, 65.
Lignin, 1059.
Liliaceae, 111.
Linoleic acid, *719*.
Liriodendron tulipifera, 797.
Loblolly pine, *859*.
Lodgepole pine, 761.
Low temperature, *711*.
Lutein, 681.
LVDT, 1107.
Lycopersicon esculentum, 199, 297, 1059.

Maintenance, *539*.
Maize, 809:
coleoptiles, *1081*.
Malate, 55.
Mallee, *269*.
Malvaceae, 851.
Manihot esculentum Crantz, 73.
Mass spectra, 587.
Mechanoreception, 111.
Medicago sativa, *695*.
Mediterranean evergreen shrub, 35.
Membrane:
permeability, 547;
potential, 297, 633;
resistance, 501.
Mesembryanthemum crystallinum, 403, 437, 531.
Metabolism, *207*, *975*.
Methylglucose, 743.
Michaelis constant, *289*.
Microfilaments, 883.
Micrometeorological parameters, *1131*.
Micrometeorology, 161.
Microtubules, 883.
Modelling, 1, 341, 413.
Morphological plasticity, 949.
Morphometry, *1003*.
mRNA transcripts, 819.
Mucilage, *105*, *1003*.
Myo-inositol O-methyl transferase, 437.

NaCl, *215*, *1107*.
NaCl-tolerant mutants, 959.
Natural abundance, *375*:
^{15}N, 365.
Natural vegetation, 873.
Na^+-Ca^{2+} interaction, 547.
Nicotiana tabacum, 1047.
Nitrate, *125*, *199*, *259*:
assimilation, 365;
reductase, *351*, *609*;
storage, 365.
Nitrogen, 237, 843, 859:
assimilation, 351;
availability, 149;
content, 687;
fixation, 125, 365;
harvest index, *161*;

loss, 161, 169;
phosphorus deficiencies, 1047;
redistribution, 169;
stress, 1115.
Nitrogen-use efficiency, 161.
NMR, 727:
imaging, 335.
relaxation, 87
Nodule, 125.
Nonstomatal limitation, 1123.
Non-photochemical quenching, 673.
Nutation, 445.
N-assimilation, 375.

Oat, 749.
Oleic acid, 719.
Onion, 111.
Open-top fumigation chamber, 843.
Optical properties, 65.
Organic solute analyses, 959.
Oryza sativa L., 481.
Osmotic concentration, 1091.
Oxygen, 125, 1071.
Oxygenated terpenes, 975.
Ozone, 311, 643, 819:
depletion, 73;
precursor, 563.

Palisade, 65.
Parasitic angiosperm, 237.
Partitioning, 179.
Patchy, 25.
Pea, 99:
epicotyls, 1081.
PEG, 1107.
Pericarp, 179.
Peroxidase, 311.
pH, 289.
Phaseolus vulgaris Leguminoseae, 81.
Phenology, 919.
Pheromones, 891.
Phloem, 125.
Phosphate, 785.
Phospho*enol*pyruvate carboxylase, 403, 437.
Phosphorus, 843, 859.
Photoacclimation, 149.
Photoacoustic laser detector, 1071.
Photoinhibition, 249:
(seed germination), 223.
Photomorphogenesis, 555, 703.
Photomorphogenic mutants, 929.
Photoperiod, 761.
Photosynthesis, 1, 65, 81, 189, 207, 237, 383, 461, 587, 609, 653, 711, 785, 797, 835, 859, 1123, 1131, 1139.
Photosynthetic acclimation, 929, 1131.
Photosystem II, 461, 643.
Photosystem stoichiometry, 929.
Phototaxis, 991.
Phototropism, 445.
Phycobilisomes, 149.
Phytochrome, 703, 719, 929:
(seed germination), 223.
Phytosiderophores, 579.
Picea abies (L.) Karst, 311, 743.
Picea pungens, 735.
Picea sitchenis, 1139.
Pigment system II, 785.
Pigments, 311, 711.
Pima cotton, 851.
Pinaceae, 743, 761.
Pinus contorta Dougl. var. *latifolia* Engelm., 761.
Pinus sylvestris L., 997.
Pinus taeda L., 859.
Pisum sativum L., 99, 1081.
Plant cuticle, 743.
Plant segmentation, 879.
Plant water relations, 997.
Plasma membrane, 653.
Plasmalemma, 111.
Plasmodesmata, 633.
Poa, 843.
Polarity reorientation, 765.
Polyamines, 819.
Poplar, 571.
Populus × *interamericana* Bartr., 997.
Porphyridium purpureum, 149.
Potassium, 323.
Potato, 393, 461, 819.
Powdery mildew, 687.
Protein, 1047:
degradation, 421;
synthesis, 305.
Proteins, 643.
Protoplasm, 735.
Prunus avium × *pseudocerasus* L., 453.
Pupulus, 571.
Pyridine nucleotides, 785.
Pyrolysis mass spectrometry, 1059.

Quantum yield, 643, 785.
Quercus alba, 797.
Quercus coccifera L., 35.
Quercus ilex L., 511.
Quercus rubra Fagaceae, 587.

Radish, 223.
Ranunculuaceae, 491.
Ranunculus adoneus, 983.
Ranunculus penicillatus ssp. *pseudofluitans*, 491
Raphanus sativus L., 223.
*rbc*L, 819.
*rbc*S, 819.
Reaction centre, 785.
Reciprocity, 749.
Red alga, 149.
Red:far-red, 703.
Regulation, 125.
Relative growth rate, 1059.
Reproductive development, 835.
Resource:
acquisition, 137;
allocation, 137.
Respiration, 207, 231, 383, 539, 827.
Rhizotron, 949.
Rhodoxanthin, 711.
Ribulose-1,5-bisphosphate carboxylase/oxygenase, 81.
Rising CO_2, 311.
River red gum, 269.
Root:
cap, 99;
demography, 949;
depth, 35;

function, 269;
growth, 199;
signal, 453;
surface potential, 501;
water potential, 341.
Roots, 335, 843, 949.
Root-to-shoot:
ratio, 73, 137, 1115;
communication, 341, 413.
Rosaceae, 453.
Rubisco, 819, 859.
Rye, 883.

Salicaceae, 571.
Salinity, 15, 215, 547, 663.
Salt:
stress, 403, 437, 959;
tolerance, 15.
Sambucus nigra, 329.
Sap flow, 45, 593:
distribution, 997.
Scatter, 749.
Scirpus lacustris L., 873.
Seasonal periodicity, 469.
Secale cereale cv. Musketeer, 249, 883.
Secondary carotenoids, 991.
Sectors, 765.
Seed:
germination (photoinhibition), 223;
yield, 909.
Senescence, 421, 643, 797.
Sexual reproduction, 891.
Shade:
leaf, 65, 727;
tolerance, 673, 681.
Shoot biomass, 835.
Shoot-root relations, 765.
Shoot:root ratio, 1047.
Siderophores, 579.
Simulation, 771:
model, 35.
Sink metabolism, 1047.
Sisymbrium officinale (L.) Scop., 469.
Site of perception, 555.
Sitka spruce, 1139.
Smilacina stellata, 735.
Snow buttercup, 983.
Sodium, 323:
exclusion, 323.
Soil nitrogen, 199.
Solanaceae, 1059.
Solanaceae, 199.
Solanum tuberosum, 461, 819.
Solar tracking, 983.
Sorghum bicolor, 237.
Soybean, 909, 1099:
seeds, 719.
Spinach, 393.
Split-root, 827.
Spongy mesophyll, 65.
Spring barley, 161, 169.
Spruce, 311, 743.
Stable carbon isotope discrimination, 383.
Stable isotopes, 269.
Starch turnvoer, 531.
Starch-degrading enzymes, 531.
Stem extension ggrowth, 703.
Stomata, 25.
Stomatal activity, 35.
Stomatal aperture, 851.
Stomatal conductance, 189, 279, 341, 413, 481, 623, 771, 797, 851, 1123.
Storage carbohydrates, 919.
Strategy III, 579.
Stress resistance, 461.
Striga hermonthica, 237.
Sublethal temperature, 305.
Suboptimal growth temperature, 809.
Sucrose:
feeding, 1047;
synthase, 1047.
Sucrose-phosphate synthase, 81.
Summer drought, 511.
Sun leaf, 65, 727.
Sunflower hypocotyls, 1081, 1091.
Sun-shade plants, 55.
Superoxide dismutase, 311.
Surface electrical potential, 445.

Tallgrass prairie, 843.
Taxol, 883.
Temperature, 1, 289.
Terpene:
glycosides, 975;
hydrocarbons, 975.
Testa (seed coat), 179.
Thermal kinetics, 289.
Thermotolerance, 305.
Thuja plicata Donn. ex D. Don, 711.
Thylakoid membranes, 215.
Thylakoid proteins, 421, 809.
Thylakoid stacking, 215.
Tiller:
production, 555;
senescence, 555.
Tobacco, 393.
Tomato, 259, 297, 703, 929:
roots, 199.
Transcriptional regulation, 437.
Transmembrane:
linkers, 111;
potential, 501.
Transmission line, 501.
Transpiration, 45, 279,429, 609, 623, 867:
rate, 1131.
Tree:
canopies, 1.
ring, 939.
Triticale, 663.
Triticeae, 383.
Triticum aestivum L. em. Thell, 87, 179, 421, 521, 643, 697, 867.
Triticum turgidum var. *durum*, 383.
Transpiration, 593.
Tropical forest, 429.
Turgor, 15, 547,

Ultraviolet-B radiation, 73.

VAM, 375.
Vapour pressure difference, 413.
Variable and maximal fluorescence, 73.
Vascular differentiation, 765.

Vascular tissues, 765.
Vegetable oil, 719.
Velvet bean (*Mucuna deeringeniana* L.), 563.
Vicia faba L., 93, 207, 335.
Vigna unguiculata (L.) Walp., 835.

Wall-bound calcium, 1081.
Wall-to-membrane linkers, 111.
Walnut, 879.
Water, 727:
  activity, 87;
  balance model, 939;
  content, 687;
  Crowfoot, 491;
  flux, 593;
  quality, 663;
  relations, 959;
  relations (seed germination), 223;
  stress, 279, 755, 867;
  transport, 335;
  use efficiency, 383, 797, 1131;
  vapour mole fraction, 771;
  vapour pressure difference, 189;
Water-stress, 975.
Western red cedar, 711.
Wheat, 179, 421, 643, 687, 867.
White oak, 797.
Whole plant, 481.
Wind speed, 771.
Winter:
  freezing, 511;
  rye, 249.
Wound signals, 563.

X *Triticosecale* Wettmack, 663.
Xanthophyll cycle, 673, 681.
Xylem:
  cavitation, 279;
  embolism, 511;
  sap, 351, 867.

Yellow-poplar, 797.
Yield threshold (seed germination), 223.

Zea mays L. (Maize), 99, 105, 289, 413, 785, 809, 967, 1071, 1081, 1107:
  cv. Ageotropic, 1003;
  cv. Kys, 1003.
Zeaxanthin, 673.